Amendments to the Claims:

The following listing of claims replaces all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1-9. Cancelled.
- 10. (Amended) A compound of formula I:

$$Ar_{1} = (CH)n - N$$

$$Ar_{1} = (CH)m - C$$

$$R_{1} = R_{2}$$

$$R_{2} = R_{2}$$

$$H$$

$$(I)$$

wherein Ar₁ and Ar₂ independently represent:

$$R_3$$
 or R_3 R

R₁, R₂ and R₃ each represents hydrogen, a C₁-C₃ alkyl group, a C₅ or C₆ cycloalkyl group, a phenyl, substituted phenyl, hydroxyl, methoxy, ethoxy, amino, substituted amino, halogen, carboxylic acid, carboxylic ester, nitryl or acetonitrile group;

Y represents C, N, or O;

Z represents a five or six-member ring containing at least one of C, S, N or O;

n represents 0, 1, 2 or 3;

m represents 1, 2 or 3;

in the form of a free base or a salt thereof.

- 11. (Amended) A compound according to Claim [1] 10, wherein the salt is selected from the group consisting of hydrochloride, hydrobromide, sulfate, trifluoroacetate and methanesulfonate.
- 12. (Previously Presented) A compound according to Claim 11, wherein the salt is hydrochloride or hydrobromide.
- 13. (Amended) A compound according to Claim 11, wherein the salts salt comprises about 0.5-3 molecules of hydrate water.
- 14. (Amended) A compound according to Claim 10, wherein R₁, R₂ and R₃ represents independently of each other hydrogen, a C₁-C₃ alkyl, hydroxyl, methoxy, ethoxy, amino, substituted amino, halogen, or nitryl group.
- 15. (Previously Presented) A compound according to Claim 10, in the form of a racemic mixture.

- 16. (Previously Presented) A compound according to Claim 10, in the form of a pure enantiomer, or a mixture of enantiomers in a non-racemic ratio.
- 17. (Amended) The compound of Claim [1] 10, selected from the group consisting of:
 - IV-1 N1-benzyl-N4-(phenylpropane-2-yl-3-ol) piperazine,
 - IV-2 N¹-(4-chlorobenzyl)-N⁴-(phenylpropane-2-yl-3-ol) piperazine,
 - IV-3 N¹-(1-phenylethyl)-N⁴-(phenylpropane-2-yl-3-ol) piperazine,
 - IV-4 N1-benzyl-N4-[2-(4-chlorophenyl) ethyl-2-ol] piperazine,
 - IV-5 N1-(3-pyridylmethyl)-N4-(2-phenylethyl-2-ol) piperazine,
 - IV-6 N1-(4-fluorobenzyl)-N4-(2-phenylethyl-2-ol) piperazine,
 - IV-7 N1-benzyl-N4-[2-(4-nitrophenyl) ethyl-2-ol] piperazine,
 - IV-8 N¹-benzyl-N⁴-[(1, 2-diphenyl) ethyl-2-ol] piperazine,

IA-8	N^{1} -(4-nitrobenzyl)- N^{4} -[2-(4-acetamidophenyl) ethyl-2-ol] piperazine,
IV-10	N^1 -benzyl- N^4 -[2-(4-acetamidophenyl) ethyl-2-ol] piperazine,
IV-11	N¹-(4-fluorobenzyl)·N⁴-[2-(4-chlorophenyl) ethyl-2-ol] piperazine,
IV -12	N^{t} -[1-(4-nitrophenyl) ethyl]- N^{d} -(2-phenylethyl-2-ol) piperazine,
IV-13	N¹-(3-methoxybenzyl)-N⁴-(2-phenylethyl-2-ol) piperazine,
ĪV-14	N^1 -(2-nitro-5-methoxybenzyl)- N^4 -(2-phenylethyl-2-ol) piperazine,
ſV-15	N^{1} -[1-(4-nitrophenyl) ethyl]- N^{4} -[2-(4-methylphenyl) ethyl-2-ol] piperazine,
IV-1.6	N^1 -benzyl- N^4 -[2-(5-chloro-6-methoxy-2-naphthyl)ethyl-2-ol] piperazine,
ľV-17	N¹-(3-chlorophenyl)·N⁴-[1-(5-chloro-6-methoxyl-naphthalen-2-yl)-propanc-2-yl-1-ol] piperazine,
ľV-18	N¹-(2-phenylethyl-2-ol)-N⁴-[1-(5-chloro-6-methoxyl-naphthalen-2-yl)-propane-2-yl-1-ol] piperazine,
IV ⋅19	N^1 -benzyl- N^4 -[1-(5-chloro-6-methoxyl-naphthalen-2-yl)-propane-2-yl-1-ol] piperazine,
IV-20	N ¹ -(4-nitrobenzyl)-N ⁴ -[1-(5-chloro-6-methoxyl-naphthalen-2-yl)-propane-2-yl-1-ol] piperazine,
IV-21	N ¹ -(4-aminobenzyl)-N ⁴ -[1-(5-chloro-6-methoxyl-naphthalen-2-yl)-propane-2-yl-1-ol] piperazine,
IV-22	N¹-(3.4,5-trimethoxybenzyl)-N⁴-[1-(5-chloro-6-methoxyl-naphthalen-2-yl) -propane-2-yl·1-ol] piperazine,
IV-23	N^{1} -(4-methoxybenzyl)- N^{4} -(2-phenylethyl-2-ol) piperazine,
ÍV∙24	N ¹ -(4-methoxybenzyl)-N ⁴ -(S-2-phenylethyl-2-ol) piperazine,
IV-25	N^{1} -(4-methoxybenzyl)- N^{4} -(R-2-phenylethyl-2-ol) piperazine,
IV-26	N1-(4-nitrobenzyl)-N4-(2-phenylethyl-2-ol) piperazine,
IV-27	$N^{1}\hbox{-}(4\hbox{-nitrobenzyl})\hbox{-}N^{4}\hbox{-}(S\hbox{-}2\hbox{-phenylethyl-}2\hbox{-ol})\ piperazine,$

IV-28	$N^{1} \cdot (4 \text{-nitrobenzyl}) \cdot N^{4} \cdot (R \cdot 2 \cdot phenylethyl \cdot 2 \cdot ol) \ piperazine,$
IV-29	N^{1} -(1-phenylethyl)- N^{4} -(2-phenylethyl-2-ol) piperazine,
IV-30	N ¹ -(R-1-phenylethyl)-N ⁴ -(R-2-phenylethyl-2-ol) piperazine,
IV-31	N ¹ -(R-1-phenylethyl)-N ⁴ -(S-2-phenylethyl-2-ol) piperazine,
IV-32	N¹-(S-1-phenylethyl)-N⁴-(S-2-phenylethyl-2-ol) piperazine,
IV-33	N^{1} -(S-1-phenylethyl)- N^{4} -(R-2-phenylethyl-2-ol) piperazine,
IV-34	N ¹ -(S-1-phenylethyl)-N ⁴ -[1-(5-chloro-6-methoxyl-naphthalen-2-yl)-propane-2-yl-1-ol] piperazine,
IV-35	N ¹ -(R-1-phenylethyl)-N ⁴ -[1-(5-chloro-6-methoxyl-naphthalen-2-yl)-propane-2-yl-1-ol] piperazine,
IV-36	N1-benzyl-N4-(2-phenylethyl-2-ol) piperazine,
IV-37	N^{1} -(4-chlorobenzyl)- N^{4} -(2-phenylethyl-2-ol) piperazine,
IV-38	N¹-(4-chlorobenzyl)-N⁴-[2-(4-chlorophenyl) ethyl-2-ol] piperazine,
ĪV-39	N¹-benzyl-N⁴-[2-(4-methoxyphonyl) ethyl-2-ol] piperazine,
IV-40	N ¹ , N ⁴ -di (2-phenylethyl-2-ol)-piperazine,
IV-41	N^{1} -(4-aminobenzyl)- N^{4} -(2-phenylethyl-2-ol) piperazine,
TV-42	N1-benzyl-N4-[(2-naphthyl) ethyl-2-ol] piperazine,
IV-43	N¹-benzyl-N⁴-[(3-phenyl) propyl-3-ol] piperazine,
IV-44	N¹-(2, 4-dimethoxybenzyl)-N⁴-(2-phenylethyl-2-ol) piperazine,
IV-45	N1-benzyl-N4-(S-2-phenylethyl-2-ol) piperazine,
IV-46	N1-benzyl-N4-(R-2-phenylethyl-2-ol) piperazine,
IV-47	N^{1} -(1-phenylpropyl)- N^{4} -(2-phenylethyl-2-ol) piperszine,
IV-48	N^{1} -(4-fluorobenzyl)- N^{4} -(2-phenylethyl-2-ol) piperazine,
IV-49	$N^{\tau}\text{-}(3,4\text{-methylenedioxybenzyl})\text{-}N^{4}\text{-}(2\text{-phenylethyl-2-ol})$ piperazine,

- IV-50 N¹-(1-phenethyl)-N⁴-[2-(4-methylphenyl) ethyl-2-ol] piperazine,
- IV-51 N1-(S-1-phenylethyl)-N4-[2-(4-methylphenyl) ethyl-2-ol] piperazine, and
- IV-52 N¹-(R-1-phenethyl)-N⁴-(2-(4-methylphenyl) ethyl-2-ol) piperazine.
- 18. (Previously Presented) The compound according to Claim 16, which is N¹-benzyl-N⁴-[1-(5-chloro-6-methoxyl-naphthalen-2-yl)-propane-2-yl-1-ol]piperazine.
- 19. (Previously Presented) A pharmaceutical composition comprising a compound of Claim 10, and a pharmaceutically acceptable excipient.
- 20. (Previously Presented) A method for treating depression, the method comprising administering to a patient in need thereof an effective amount of the pharmaceutical composition according to Claim 19.